



Proud supplier of:

Colorbond®

Rural & Industrial Sheds

Custom Designed | Custom Engineered | Quality Tested



About Stratco

With over 75 years of experience in the steel manufacturing industry, **100% Australian owned**, Stratco is dedicated to providing high-quality, reliable products. Our commitment to innovation and customer satisfaction ensures that you're working with a trusted partner who stands behind every product. Every shed is made with COLORBOND® steel to withstand Australia's harsh environment and is backed by a 25-year structural warranty. Dream it, Design it, Build it, with Stratco.



MANUFACTURING
SINCE
1948



Custom Designed and Engineered



The Stratco Advantage

Custom Designed • Engineered • Tested

Proud supplier of:

Colorbond®



Stratco Shed Range
With A Design To Suit Every Need

Barns & Stables
Page 6



Farm & Machinery Sheds
Page 8



Industrial Sheds
Page 10



Studios & Liveable Sheds
Page 14



Stratco Rural & Industrial Sheds

From Stables to Industrial Storage, Our Working Class Sheds are Big and Built to Last.

- Big sheds for big storage needs. Stratco Rural and Industrial Sheds are strong, high quality, well engineered and built to last, offering storage and protection for many years to come.
- Customise your shed with open bays, closed bays, internal walls, sliding doors, roller doors or clear openings. Our engineers can tailor a farm or commercial shed to meet your exact requirements.

Sheds to Suit Your Needs

- Commercial Buildings
- Dairy Sheds
- Farm Sheds
- Garaports
- Hay Sheds
- Horse Stables
- Machinery Sheds
- Open Front Sheds
- Pump Sheds
- Rural Barns
- Shearing Sheds
- Workshop Sheds

Proud supplier of:



Channel Nine's The Block 2025 - Scotty's Sawmill

- 10-degree Large Span Shed in COLORBOND® Monument®
- Stratco CGI Corrugated 16mm roofing
- Walls clad in popular Stratco Superdek®



Sheds That Are Built To Last

Built for Australian conditions, our Rural and Industrial Sheds combine durability with smart design. Galvanised C-section beams form a solid frame, while high-tensile bolted brackets at the eaves and ridge lock everything together for a tough, seamless structure.

The roofing is finished with COLORBOND® steel for long-lasting protection, and every shed comes complete with gutters and downpipes as standard. For the walls, you can choose the bold look of COLORBOND® steel Superdek® sheeting with its 28mm ribs, or keep it classic with 16mm corrugated sheeting.

The result is a shed that looks great, stands up to the elements, and gives you confidence it will perform year after year.

Rural Sheds Barns & Stables

Your barn or shed is more than a shelter, it's a backbone for your productivity. Stratco designs and engineers a shed that considers your land, wind loads and usage, delivering durable structures built to last. Equine and livestock fit outs are designed for comfort and safety, to support animal welfare and performance. Built with premium Australian steel, the result is a low-maintenance asset that improves efficiency and holds value.





Hay Shed – Open Gable End

9.2m x 18.3m x 4.0m

168.4m²



Horse Stable

8.4m x 20.1m x 3.3m

168.8m²



Horse Stable

8.4m x 20.1m x 3.3m

168.8m²



Implement / Hay Shed – Open Gutter Side

13.8m x 23.1m x 4.2m

318.8m²



Rural Shed – 4 Roller Doors

9.2m x 24.1m x 3.6m

221.7m²



Equipment Shed – 5 Roller Doors

11.5m x 28.1m x 3.0m

323.2m²



Workshop – Roller Door Gable End

9.2m x 18.3m x 4.0m

168.4m²



Horse Stable / Barn – Sliding Doors

14.6m x 22.6m x 3.6m

330.0m²

Farm & Machinery Sheds

Smart, Strong, Site Specific Sheds

Stratco Farm Sheds are built for the land you work. Every shed is site-specific, engineered to your wind region, terrain, and climate to meet Australian Standards. Choose from a range of wide clear spans and generous heights to suit your machinery and storage needs. With Australian-made, COLORBOND® steel cladding, and heavy-duty frames, your shed is strong, durable, and low maintenance. Add roller or sliding doors, open bays, skylights, or ventilation and create a functional space that works as hard as you do.





Triple – Roller Doors Gutter Side

15.4m x 21.4m x 5.0m

329.6m²



Single – Roller Door Gable End

9.2m x 18.3m x 4.0m

168.4m²



Open Gable – No Walls

9.2m x 15.3m x 3.6m

140.8m²



Open Gable Ends

10.8m x 15.3m x 4.2m

165.2m²



Open Gable Ends

15.3m x 30.5m x 5.0m

466.7m²



Open Sided Access

9.2m x 24.0m x 4.2m

220.8m²



Double Gable

30.8m x 24.4m x 5.0m

751.5m²



Triple Gable

46.2m x 24.4m x 5.0m

1127.3m²

Industrial Sheds

Industrial performance starts with a strong structure to suit your business needs, engineered for efficiency, durability, and long-term performance. Whether you're storing equipment, expanding your production capacity, or creating a dedicated workspace, Stratco will tailor every detail to ensure maximum functionality. Our sheds are constructed to meet Australian standards and are built to withstand the harshest environments. We use high quality, materials, ensuring your investment stands the test of time with minimal maintenance. When you choose Stratco, you're choosing a partner committed to delivering exceptional value, quality, and reliability.





Skillion Storage

7.7m x 9.3m x 3.6m (High Side)

71.6m²



Triple Roller Doors

7.7m x 15.3m x 3.6m

117.8m²



Implement Shed

9.2m x 18.3m x 4.0m

168.4m²



Storage Shed – Gutter Side Roller Door

12.3m x 30.5m x 4.2m

375.2m²



Triple Roller Doors – Wide Bays

15.4m x 24.4m x 5.0m

375.8m²



Bus Shelter & Workshop

18.0m x 40.0m x 5.0m

720.0m²





Flexible Shed Sizes & Spans

Rural and Industrial Sheds are available in widths up to 15.35m as standard.

Unlimited lengths are available in bay sizes up to a maximum of 5.0m for wider openings. Standard wall heights range from 2.4m, up to 4.2m for higher openings or door clearances. Other non-standard options are available on request.

- Non-Standard widths up to 21.0m wide
- Five standard heights of 2.4m, 2.7m, 3.0m, 3.6m, and 4.2m
- Non-Standard heights up to 6.0m high are also available



Shed Optional Extras

Stratco Sheds come with a wide range of optional extras including windows, skylights and single or double personal access doors, insulation and ventilation.

- Attached Patios
- Garaports
- Insulated Cooldek® Roof Panels
- Internal Box Gutters
- Remote Controlled Roller Door Openers
- Single or Double Personal Access Doors
- Skylights
- Spinning Ventilators
- Wall Ventilation Louvres
- Louvre or Sliding Windows
- Roof and Wall Insulation
- Fire Rated Walls
- BAL Rating Solutions Available
- Safety Mesh



Studios & Liveable Sheds

Designed for Living. Built to Last.

At Stratco, we believe a shed can be so much more than storage, it can be a home, a retreat, or a clever secondary dwelling. Our liveable sheds are fully customisable, designed and engineered to meet strict Australian standards, giving you peace of mind. Choose your size, roof style, cladding, and COLORBOND® steel colours, and we'll engineer your shed so it's ready for you to add the finishing touches, from windows and verandahs to skylights and doors, making it truly feel like home.

Whether you're creating a modern home, a weekend retreat, or a secondary dwelling, Stratco makes it simple to transform four walls and a roof into a space you'll truly love living in.



Gable Stubbie Studio

3.16m x 3.16m x 2.4m

10.0m²



Skillion Stubbie Studio

3.16m x 3.16m x 2.4m (Low Side)

10.0m²



Single Gable Studio

3.92m x 6.21m x 2.4m

24.3m²



Single Gable Studio – Stepped Facade

5.45m x 6.21m x 2.4m

33.8m²



Double Gable Studio – Stepped Facade

5.45m x 9.26m x 5.0m

50.5m²



Double Gable Studio – With Garage

5.45m x 9.26m x 5.0m – House

50.5m²

5.45m x 6.21m x 2.4m – Garage

33.8m²





Bring Your Design To Life With Stratco AR View™

Stratco AR View™ uses Augmented Reality (AR) to turn your shed into an immersive, real-world 3D preview from your smartphone or tablet.

Stratco AR View™ eliminates the guesswork previewing your design insitu.

What do you need?

All you need is your quote, your design and a smart device to get you started, or you are welcome to try some of our favourite designs to see how Stratco AR View™ will work for you.

Instant access: Simply scan a QR code from your quote to launch Stratco AR View™, no downloads required.

View designs in real life: Simply project your shed design exactly where you want to build it.

Explore every angle: Walk around, under, and through your design in real time, seeing how it fits into your space from every perspective.

Colours: See and experience the colours. You can make changes via Stratco and try again.

Enhanced planning tools: Get smarter about layout decisions, park vehicles and equipment in place and see how the shed works using the Stratco AR View™ tool.

Find out how Stratco AR View™ can bring your design to life.





Design, Quote & Build With Stratco

From the first idea to finished shed, Stratco guides you through step by step.



Shed Design & Quotation

Bring your ideas, a rough sketch or dimensions to our Stratco team and they will bring your dreams to life. We can check and review dimensions using satellite imagery before designing and preparing a quotation for you.



Planning and Certifications

Stratco can arrange the relevant paperwork, specifications and engineering ready for the council, building surveyor or certification process depending on what state or territory you reside. We can assist and guide you through this process.



Shed Installation

You can choose to DIY or Stratco can assist with installation and connect you with a recommended installer before confirming an installation date.



Site Preparation

Site preparation for your shed is key. Some important things to consider are:

1. The site needs to be cleared and level. If the ground is uneven or sloped, ensure that the slope height difference does not exceed 150mm.
2. Understanding the soil type is important as it will affect footing sizes.
3. Footings and Concrete Slabs - you can either:
 - (a) Pour concrete first with footings pinned on-to-concrete or alternatively
 - (b) Columns can be fixed in-ground with the concrete slab poured later.



Shed Delivery

We will manufacture your shed in one of our local manufacturing sites in your state or territory and then deliver the shed to site ready for installation.



Shed Warranty

Stratco is proud to support its Sheds and Garages range with a comprehensive **25 Year Structural, 10 Year Paint Finish** and **10 Year Life Prior To Perforation Warranty**. Our warranty gives you piece of mind that when purchasing a Stratco Shed and Garage you are buying a quality product supported by one of the largest steel manufacturing companies in Australia.

Structural Integrity

Our entire range of Stratco Sheds and Garages has been independently tested to meet all relevant Australian Building Standards and Building Code of Australia to give you the confidence that a Stratco Shed will stand the test of time.

- ✓ AS/NZS 1170.0 - Structural Design Actions - Part 0: General Principles
- ✓ AS/NZS 1170.1 - Structural Design Actions - Part 1: Permanent, imposed and other actions
- ✓ AS/NZS 1170.2 - Structural Design Actions - Part 2: Wind actions
- ✓ AS 4100 - Steel structures
- ✓ AS/NZS 4600 - Cold-formed steel structures
- ✓ AS 3600 - Concrete structures
- ✓ AS 4055 - Wind Loads for Housing
- ✓ AS 1562.1 - Design and installation of sheet roof and wall cladding
- ✓ N.A.S.H. Standard - Residential and Low-rise Steel Framing - Part 1: Design Criteria



The Stratco Advantage

Custom Designed • Engineered • Tested • Manufactured • Guaranteed

- Large in-house engineering and design team to customise each project to the customer's specific needs.
- World class testing facility with a battery of testing processes to ensure the highest quality materials that consistently exceed Australian standards.
- Industry leading research and development program to drive innovation in outdoor lifestyle and building products.

Proud supplier of:

Colorbond®



Stratco sheds are clad with **COLORBOND® steel** and you can make colour selections from the list below. When reviewing quotes and specifications, you will see the Stratco name or code appear. If you require clarification please speak with the team.

COLORBOND® Steel Colour*	Stratco Code & Colour Name	SA
– Dover White	SO Snowdrift™	☼ 0.28
SF Surfmist	OW Off White	☼ 0.33
CC Classic Cream	CR Smooth Cream	☼ 0.33
PK Paperbark	ME Merino	☼ 0.43
DU Dune	BI Birch	☼ 0.48
GJ Gully	DD Driftwood	☼ 0.64
JA Jasper	BW Banyan Brown®	☼ 0.67
EH Evening Haze	MV Moss Vale Sand	☼ 0.43
PE Pale Eucalypt	MG Mist Green	☼ 0.60
CG Cottage Green	CF Caulfield Green	☼ 0.73
MR Manor Red	HR Heritage Red	☼ 0.70
– Southerly	LG Lunar Grey™	☼ 0.40
SH Shale Grey	GG Gull Grey	☼ 0.44
– Bluegum	OC Overcast™	☼ 0.57
WS Windspray	AG Armour Grey	☼ 0.60
WY Wallaby	CB Cobblestone®	☼ 0.64
BJ Basalt	GN Granite®	☼ 0.67
IR Ironstone	DA Dark Stone™	☼ 0.73
DE Deep Ocean	MB Mountain Blue	☼ 0.74
WG Woodland Grey	SG Slate Grey	☼ 0.70
MM Monument	GU Gun Metal Grey	☼ 0.73
NY Night Sky	EB Ebony	☼ 0.95
– Zinalume	AZ Zinc/Al	☼ –



The COLORBOND® steel colours shown here have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colours against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process, screens and devices may affect colour tones. COLORBOND®, BlueScope, the BlueScope brand mark and ® colour names are registered trade marks of BlueScope Steel Limited. ™ colour names are trade marks of BlueScope Steel Limited. © 2022 BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved. Accurate colour samples are available in-store from Stratco. Please see the Stratco website for store location details.

☼ **Solar Absorptance (SA)** is a measure of how much of the sun's heat that a material absorbs. Choosing a colour with a lower SA is a cooler option and may help you meet building regulations such as NCC or BASIX. These are nominal values based on new product and measured in accordance with ASTM E 903-96. Colour coatings come in different grades for different environments and not all colours are available in every grade. Your Stratco design consultant will assist you with the grade and colour availability for your area and your product. Seafront and industrial areas may require a severe environmental coating.



◀◀ SCAN THIS QR CODE TO FIND A STRATCO NEAR YOU

1300 155 155
stratco.com.au

All brands and logos/images accompanied by © or ™ are trade marks of Stratco (Australia) Pty Limited. © Copyright September 2025

How To.



MAINTENANCE Regular maintenance is essential to maintain the good looks of all Stratco steel products and to ensure you receive the maximum life-span possible in your area. Washing with clean water must be frequent enough to prevent the accumulation of dust, salts, and pollutants or any other material that will reduce the life of the product. Stratco steel products that are regularly washed by rain require no additional maintenance. No material that retains water (such as dirt or paving sand) should be placed against wall flashings and wall sheeting. Care must be taken when determining the location of Stratco steel products so that they are not placed in close contact with sources of pollution or environmental factors that could affect the life of the steel. Produced from the highest quality materials, you can expect many years of service from your Stratco Shed if the recommendations in the 'Selection Use and Maintenance' and 'Severe Environment Considerations Brochure' are followed.